


WINE CELLARS CATALOG.



Vinobox CO. LTD. (Head Office)

591, UBCII Building ,20th Floor, Sukhumvit Road,
North Klongton, Wattana, Bangkok 10110, Thailand

Concept.

Concept.

Concept.

For over 15 years, Vinobox has been a leading name in the design and distribution of high-quality wine cellars. As Franco-Spanish experts, we have developed unparalleled expertise in wine preservation, driven by our in-depth knowledge and passion for oenology.

Our commitment to wine preservation is not just theoretical—we own vineyards in Bordeaux and Mendoza (Argentina). This dual viticultural background allows us to fully understand the importance of optimal storage conditions, ensuring wines mature and retain their aromas under the best circumstances.




An improper humidity level can affect wine quality: too dry, and the cork becomes brittle, leading to premature oxidation; too humid, and mold can develop. Our wine cellars maintain an optimal humidity keeping your bottles in perfect storage conditions.



Wine can absorb surrounding odors, which can negatively impact its taste. Our cellars are equipped with high-performance air filtration systems, providing a contaminant-free atmosphere and maintaining a neutral storage environment.




Vibrations can disturb the maturation process and disrupt the wine's sediments, affecting its balance and quality. Our wine cellars are designed with cutting-edge anti-vibration systems and wooden shelves, ensuring a stable and undisturbed storage environment.



Wine evolves over time and must be stored under optimal conditions to preserve its aromas. Our wine cellars ensure precise temperature regulation between 5 and 20°C, with adjustable zones to accommodate red, white, and sparkling wines according to their specific needs. The most important is to avoid temperature variations



UV rays accelerate the aging process of wine and alter its flavor profile. To prevent this, our wine cellars feature glass doors with UV protection, ensuring total preservation of aromas.



QUALITY EXPERTISE

Preserve your moments

At Vinobox, we believe that wine is not just a product, it is a lifelong companion, a silent witness to life's most precious moments. A glass of wine with family, a dinner with friends or an unexpected celebration, each bottle holds a story. Our mission is to preserve these stories by creating wine cellars that honor both the wine and the emotions surrounding it.

For over 15 years, our passion for the world of wine has driven us to design preservation solution that combine technology, elegance, and precision. All our wine cellars come with a 2-year warranty, as well as a 7-year warranty on the compressor, offering peace of mind alongside performance. Thanks to our wine cellars, each wine is maintained under ideal conditions to enrich your memories, now and forever.

From our family vineyards in Bordeaux and Mendoza to your home, our expertise is guided by a single purpose: to preserve the authenticity of the wine and the magic of the moments it creates. Because wine is meant to be shared. Because emotions deserve to be preserved just as much as flavours. **Because emotions deserve to be preserved just as much as flavours.**

VINOBOX PRO

free standing

Vinobox Pro range is designed for free-standing use.

Beside its quality guarantee, Vinobox Pro range provides economic and simple products for professionals involved in hospitality industry, and marketing campaigns.


It also offers a refined and contemporary design to wine amateurs.

VINOBOX MODELS

Vinobox 48 Pro
Vinobox 190 Pro



Vinobox 48 Pro - Black




FEATURES

| | |
|-------------------------------|--|
| Measures (W x H x D cm) | 48 x 88.6 x 56.5 |
| Shelves | 3 removable wooden shelves and 1 wooden rack |
| Door | Triple layers clear tempered glass |
| Glass Door Type | Black full glass door |
| Capacity (L) | 128 L |
| Display | Digital control and LED |
| Feet | 2 adjustable |
| No-Frost | Yes |
| Cold System | Compressor with direct cooling and fan |
| Humidity | ≥ 65% |
| Temperature Range | 5° - 20° C |
| Temperature Zone | 1 |
| Colour | Black |
| Energy Consumption (kWh/year) | 140 |
| Climate Class | SN N ST |
| Sound Level (dB) | 38 |



32 Kg



128 L



48



≥ 65%



5-20°C




* Bordeaux Bottles according to provision

Vinobox 190 Pro - Black



65 Kg



397 L



190



≥ 65%



5-20°C



FEATURES

| | |
|-------------------------------|--|
| Measures (W x H x D cm) | 59.5 x 165.5 x 70.5 |
| Shelves | 6 wooden shelves |
| Door | Triple layers clear tempered glass |
| Glass Door Type | Black full glass door |
| Capacity (L) | 397 L |
| Display | Digital control and LED |
| Feet | Yes, adjustable |
| No-Frost | Yes |
| Cold System | Compressor with direct cooling and fan |
| Humidity | ≥ 65% |
| Temperature Range | 5° - 20° C |
| Temperature Zone | 1 |
| Colour | Black |
| Energy Consumption (kWh/year) | 174 |
| Climate Class | SN N ST |
| Sound Level (dB) | 38 |

* Bordeaux Bottles according to provision

VINOBOX GRAND CRU

Built-in or
free-standing

Vinobox built-in or free-standing range is specially designed to be settled, either in a column or under the worktop. It can also be free standing put up thanks to its attractive design.

A wine amateur will enjoy this specific range characteristics: wide and varied like new designs, attractive details sliding shelves rails, elegant design and improved energy efficiency system.

VINOBOX MODELS

Vinobox 50 1T SS

Vinobox 50 1T Full glass door

Vinobox 50 2T SS

Vinobox 50 2T Full glass door

Vinobox 168 1T SS

Vinobox 168 1T Full glass door

Vinobox 168 2T SS

Vinobox 168 2T Full glass door



Vinobox Grand Cru 50 1T SS




FEATURES

| | |
|-------------------------------|---|
| Measures (W x H x D cm) | 59.5 x 80 x 59.5 |
| Shelves | 6 wooden shelves, removable, on safety rails |
| Door | Triple tempered glass door, anti UVA |
| Glass Door Type | Open triple panel glass door |
| Capacity (L) | 132 L |
| Display | Digital control and LED |
| Feet | 4 adjustable |
| No-Frost | Yes |
| Cold System | Compressor with direct cooling and fan |
| Humidity | ≥ 65% |
| Temperature Range | 5° - 20° C |
| Temperature Zone | 1 |
| Colour | Black Cabinet with Stainless steel trims, white glass |
| Energy Consumption (kWh/year) | 140 |
| Climate Class | SN N ST |
| Sound Level (dB) | 41 |



48 Kg



132 L



50



5-20°C



≥ 65%



REVERSIBLE



* Bordeaux Bottles according to provision

Vinobox GC 50 1T Full Glass Door




FEATURES

| | |
|-------------------------------|--|
| Measures (W x H x D cm) | 59,5 x 80 x 59,5 |
| Shelves | 6 wooden shelves, removable, on safety rails |
| Door | Triple tempered glass door, anti UVA |
| Glass Door Type | Open triple panel glass door |
| Capacity (L) | 132 L |
| Display | Digital control and LED |
| Feet | 4 adjustable |
| No-Frost | Yes |
| Cold System | Compressor with direct cooling and fan |
| Humidity | ≥ 65% |
| Temperature Range | 5° - 20° C |
| Temperature Zone | 1 |
| Colour | Black Cabinet with full glass trims, white glass |
| Energy Consumption (kWh/year) | 140 |
| Climate Class | SN N ST |
| Sound Level (dB) | 41 |



48 Kg



132 L




50



5-20°C



≥ 65%



REVERSIBLE




* Bordeaux Bottles according to provision

Vinobox Grand Cru 50 2T SS



48 Kg



132 L



50

*



5-10°C

+



10-18°C



≥ 65%



REVERSIBLE



FEATURES

| | |
|-------------------------------|---|
| Measures (W x H x D cm) | 59.5 x 80 x 59.5 |
| Shelves | 6 wooden shelves, removable, on safety rails |
| Door | Triple tempered glass door, anti UVA |
| Glass Door Type | Open triple panel glass door |
| Capacity (L) | 132 L |
| Display | Digital control and LED |
| Feet | 4 adjustable |
| No-Frost | Yes |
| Cold System | Compressor with direct cooling and fan |
| Humidity | ≥ 65% |
| Temperature Range | 5° - 10° C for upper zone and 10° - 18° C for bottom zone |
| Temperature Zone | 2 |
| Colour | Black Cabinet with Stainless steel trims, white glass |
| Energy Consumption (kWh/year) | 145 |
| Climate Class | SN N ST |
| Sound Level (dB) | 41 |

* Bordeaux Bottles according to provision

Vinobox GC 50 2T Full Glass Door




FEATURES

| | |
|-------------------------------|---|
| Measures (W x H x D cm) | 59.5 x 80 x 59.5 |
| Shelves | 6 wooden shelves, removable, on safety rails |
| Door | Triple tempered glass door, anti UVA |
| Glass Door Type | Open triple panel glass door |
| Capacity (L) | 132 L |
| Display | Digital control and LED |
| Feet | 4 adjustable |
| No-Frost | Yes |
| Cold System | Compressor with direct cooling and fan |
| Humidity | ≥ 65% |
| Temperature Range | 5° - 10° C for upper zone and 10° - 18° C for bottom zone |
| Temperature Zone | 2 |
| Colour | Black Cabinet with full glass trims, white glass |
| Energy Consumption (kWh/year) | 145 |
| Climate Class | SN N ST |
| Sound Level (dB) | 41 |



48 Kg



132 L



50



5-10°C


+



10-18°C



≥ 65%



REVERSIBLE



* Bordeaux Bottles according to provision

Vinobox Grand Cru 168 1T SS




FEATURES

| | |
|-------------------------------|---|
| Measures (W x H x D cm) | 59.5 x 181.2 x 68 |
| Shelves | 16 wooden shelves, removable on safety rails |
| Door | Triple tempered glass door, anti UVA |
| Glass Door Type | Open triple panel glass door |
| Capacity (L) | 430 L |
| Display | Digital control and LED |
| Feet | 4 adjustable |
| No-Frost | Yes |
| Cold System | Compressor with direct cooling and fan |
| Humidity | ≥ 65% |
| Temperature Range | 5° - 20° C |
| Temperature Zone | 1 |
| Colour | Black Cabinet with Stainless steel trims, white glass |
| Energy Consumption (kWh/year) | 180 |
| Climate Class | SN N ST |
| Sound Level (dB) | 43 |



125 Kg



430 L




168



5-20°C



≥ 65%



REVERSIBLE



* Bordeaux Bottles according to provision

Vinobox GC 168 1T Full Glass Door




FEATURES

| | |
|-------------------------------|--|
| Measures (W x H x D cm) | 59.5 x 181.2 x 68 |
| Shelves | 16 wooden shelves, removable on safety rails |
| Door | Triple tempered glass door, anti UVA |
| Glass Door Type | Open triple panel glass door |
| Capacity (L) | 430 L |
| Display | Digital control and LED |
| Feet | 4 adjustable |
| No-Frost | Yes |
| Cold System | Compressor with direct cooling and fan |
| Humidity | ≥ 65% |
| Temperature Range | 5° - 20° C |
| Temperature Zone | 1 |
| Colour | Black Cabinet with full glass trims, white glass |
| Energy Consumption (kWh/year) | 180 |
| Climate Class | SN N ST |
| Sound Level (dB) | 43 |



125 Kg



430 L




168



5-20°C



≥ 65%



REVERSIBLE



* Bordeaux Bottles according to provision

Vinobox Grand Cru 168 2T SS




FEATURES

| | |
|-------------------------------|---|
| Measures (W x H x D cm) | 59.5 x 181.2 x 68 |
| Shelves | 16 wooden shelves, removable on safety rails |
| Door | Triple tempered glass door, anti UVA |
| Glass Door Type | Open triple panel glass door |
| Capacity (L) | 430 L |
| Display | Digital control and LED |
| Feet | 4 adjustable |
| No-Frost | Yes |
| Cold System | Compressor with direct cooling and fan |
| Humidity | ≥ 65% |
| Temperature Range | 5° - 10° C for upper zone and 10° - 18° C for bottom zone |
| Temperature Zone | 2 |
| Colour | Black Cabinet with Stainless steel trims, white glass |
| Energy Consumption (kWh/year) | 182 |
| Climate Class | SN N ST |
| Sound Level (dB) | 43 |



125 Kg



430 L



168



5-10°C


+



10-18°C



≥ 65%



REVERSIBLE



* Bordeaux Bottles according to provision

Vinobox GC 168 2T Full Glass Door




FEATURES

| | |
|-------------------------------|---|
| Measures (W x H x D cm) | 59.5 x 181.2 x 68 |
| Shelves | 16 wooden shelves, removable on safety rails |
| Door | Triple tempered glass door, anti UVA |
| Glass Door Type | Open triple panel glass door |
| Capacity (L) | 430 L |
| Display | Digital control and LED |
| Feet | 4 adjustable |
| No-Frost | Yes |
| Cold System | Compressor with direct cooling and fan |
| Humidity | ≥ 65% |
| Temperature Range | 5° - 10° C for upper zone and 10° - 18° C for bottom zone |
| Temperature Zone | 2 |
| Colour | Black Cabinet with full glass trims, white glass |
| Energy Consumption (kWh/year) | 180 |
| Climate Class | SN N ST |
| Sound Level (dB) | 43 |



125 Kg



430 L



168



5-10°C

+



10-18°C




≥ 65%



REVERSIBLE



* Bordeaux Bottles according to provision



+66 081 161 8376

www.vinobox.co.th

romain@vinobox.es

WINE CELLARS

 **VINOBOX**

Vinobox CO. LTD. (Head Office)

591, UBCII Building ,20th Floor, Sukhumvit Road,
North Klongton, Wattana, Bangkok 10110, Thailand

